
From: Heyl, Douglas [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=648ECEACC8174EF68495E6B92D969F97-DHEYL]
Sent: 12/5/2017 4:43:30 PM
To: White, Julia W [/o=ExchangeLabs/ou=Exchange Administrative Group (FYDIBOHF23SPDLT)/cn=Recipients/cn=d92f33e7d43e44a9b15d6ec92e2348cb-jwbuckner]
Subject: FW: Atlantic Coast Pipeline
Attachments: cumbe-2018-036.pdf

What was sent

Doug Heyl
North Carolina Department of Environmental Quality
919.707.9034 (Office)
919.812.3415 (Mobile)
douglas.hey1@ncdenr.gov



Email correspondence to and from this address is subject to the North Carolina Public Records Law and may be disclosed to third parties.

From: Munger, Bridget
Sent: Tuesday, December 05, 2017 4:25 PM
To: Heyl, Douglas <Douglas.Heyl@ncdenr.gov>; Holman, Sheila <sheila.holman@ncdenr.gov>
Subject: FW: Atlantic Coast Pipeline

fyi

Bridget Munger
Public Information Officer
N.C. Department of Environmental Quality
919-807-6363 office
919-207-7786 mobile
bridget.munger@ncdenr.gov

1612 Mail Service Center
Raleigh, NC 27699-1612

Email correspondence to and from this address is subject to the North Carolina Public Records Law and may be disclosed to third parties.

From: Baker, Chris
Sent: Tuesday, December 5, 2017 4:20 PM
To: leslie.hartz@dominionenergy.com
Cc: Scott.Robinson@erm.com; swalters@co.cumberland.nc.us; mchadwick@bladenco.org; dixon.ivey@co.robeson.nc.us; LaBounty, Tim L <tim.labounty@ncdenr.gov>; Vinson, Toby <toby.vinson@ncdenr.gov>; Munger, Bridget <bridget.munger@ncdenr.gov>
Subject: Atlantic Coast Pipeline

Mrs. Hartz attached is the approved erosion control permit with modifications for the above referenced project. Please note that one (1) full sized complete set of plans and three (3) half sized full plan sets are required within 10 days of receipt of this approval.

Please contact our office if you have any questions,

chris